



泰昂斯

Thales

TOOLS

我們生產、分銷和出口各類標準及非標準規格絲攻  
We manufacture, distribute and export taps of all standard  
and non-standard sizes

提供專業方案, 解決各行業螺紋加工難題

We provide solutions to any problems related to the manufacturing  
of screw threads for all industries



鈦賜精密有限公司  
TAIS T-P CO., LTD.



### T301 JIS Spiral Flute Taps - Metric Coarse 日標螺旋槽公制粗牙系列

產品編號 (code)	公制牙 (M)		外型尺寸							Unit:mm	
	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00200400	M2	0.40	42	9.5	15	3.0	2.5	5	2	2	
00220450	M2.2	0.45	42	9.5	15	3.0	2.5	5	2	2	
00230400	M2.3	0.40	42	9.5	15	3.0	2.5	5	2	2	
00250450	M2.5	0.45	44	9.5	16	3.0	2.5	5	2	2	
00260450	M2.6	0.45	44	9.5	16	3.0	2.5	5	2	2	
00300500	M3	0.50	46	11	18	4.0	3.2	6	2	3	
00350600	M3.5	0.60	48	13	20	4.0	3.2	6	2	3	
00400700	M4	0.70	52	13	20	5.0	4.0	7	2	3	
00450750	M4.5	0.75	55	13	21	5.0	4.0	7	2	3	
00500800	M5	0.80	60	16	25	5.5	4.5	7	2	3	
00550900	M5.5	0.90	60	16	25	5.5	4.5	7	2	3	
00601000	M6	1.00	62	19	28	6.0	4.5	7	2	3	
00601001	M6	1凹	62	19	28	6.0	4.5	7	2	3	
00701000	M7	1.00	65	19	30	6.2	5.0	8	3	3	
00801250	M8	1.25	70	22		6.2	5.0	8	3	3	
00901250	M9	1.25	72	22		7.0	5.5	8	3	3	
01001500	M10	1.50	75	24		7.0	5.5	8	3	3	
01101500	M11	1.50	80	25		8.0	6.0	9	3	3	
01201750	M12	1.75	82	29		8.5	6.5	9	3	3	
01402000	M14	2.00	88	30		10.5	8.0	11	3	3	
01502000	M15	2.00	90	30		10.5	8.0	11	3	3	
01602000	M16	2.00	95	32		12.5	10	13	3	3	
01802500	M18	2.50	100	37		14.0	11	14	3	4	
02002500	M20	2.50	105	37		15.0	12	15	3	4	
02202500	M22	2.50	115	38		17.0	13	16	3	4	
02403000	M24	3.00	120	45		19.0	15	18	3	4	
02603000	M26	3.00	125	45		20.0	15	18	3	4	
02703000	M27	3.00	130	45		20.0	15	18	3	4	
03003500	M30	3.50	135	48		23.0	17	20	3	4	
03303500	M33	3.50	145	51		25.0	19	22	3	4	
03604000	M36	4.00	155	57		28.0	21	24	3	4	
03904000	M39	4.00	165	60		30.0	23	26	3	4	
04204500	M42	4.50	175	60		32.0	26	30	3	4	
04504500	M45	4.50	180	67		35.0	26	30	3	4	
04805000	M48	5.00	185	67		38.0	29	32	3	4	



### T303 JIS Spiral Flute Taps - UNC 日標美制粗牙螺旋系列

產品編號 (code)	美制牙 (UNC)		外型尺寸							Unit:mm	
	Size	Nominal Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00002560	No.2-56UNC	2.184	42	9.5	15	3.0	2.5	5	1	2	
00003480	No.3-48UNC	2.515	44	9.5	16	3.0	2.5	5	1	2	
00004400	No.4-40UNC	2.845	44	9.5	16	3.0	2.5	5	1	2	
00005400	No.5-40UNC	3.175	46	11	18	4.0	3.2	6	1	3	
00006320	No.6-32UNC	3.505	48	13	20	4.0	3.2	6	1	3	
00008320	No.8-32UNC	4.166	52	13	21	5.0	4.0	7	1	3	
00010240	No.10-24UNC	4.826	60	16	25	5.5	4.5	7	1	3	
00012240	No.12-24UNC	5.486	60	16	25	5.5	4.5	7	1	3	
00104200	1/4-20UNC	6.350	62	19	30	6.0	4.5	7	1	3	
00516180	5/16-18UNC	7.938	70	22		6.1	5.0	8	2	3	
00308160	3/8-16UNC	9.525	75	24		7.0	5.5	8	2	3	
00716140	7/16-14UNC	11.112	80	25		8.0	6.0	9	2	3	
00102130	1/2-13UNC	12.700	85	29		9.0	7.0	10	2	3	
00916120	9/16-12UNC	14.288	90	30		10.5	8.0	11	2	3	
00508110	5/8-11UNC	15.875	95	32		12.0	9.0	12	2	3	
00304100	3/4-10UNC	19.050	105	37		14.0	11	14	2	4	
00708090	7/8-9UNC	22.225	115	38		17.0	13	16	2	4	
10000080	1-8UNC	25.400	125	45		20.0	15	18	2	4	



**T305 JIS Spiral Flute Taps - BSW 日標惠氏螺紋螺旋槽系列**

產品編號(code)	英制牙 (BSW)		外型尺寸							Unit:mm	
T305	Size	Basic Major Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00108400	1/8 W40	3.175	46	11	18	4.0	3.2	6	1	3	
00532320	5/32 W32	3.969	52	13	21	5.0	4.0	7	1	3	
00316240	3/16 W24	4.762	60	16	25	5.5	4.5	7	1	3	
00732240	7/32 W24	5.556	60	16	25	5.5	4.5	7	1	3	
00104200	1/4 W20	6.350	62	19	30	6.0	4.5	7	1	3	
00516180	5/16 W18	7.938	70	22		6.1	5.0	8	2	3	
00308160	3/8 W16	9.525	75	24		7.0	5.5	8	2	3	
00716140	7/16 W14	11.112	80	25		8.0	6.0	9	2	3	
00112120	1/2 W12	12.700	85	29		9.0	7.0	10	2	3	
00916120	9/16 W12	14.288	90	30		10.5	8.0	11	2	3	
00508110	5/8 W11	15.875	95	32		12.0	9.0	12	2	3	
00304100	3/4 W10	19.050	105	37		14.0	11	14	2	4	
00708090	7/8 W9	22.225	115	38		17.0	13	16	2	4	
10000080	1 W8	25.400	125	45		20.0	15	18	2	4	
10108070	1 1/8 W7	28.575	135	48		22.0	17	20	2	4	
10104070	1 1/4 W7	31.750	145	51		24.0	19	22	2	4	
10308060	1 3/8 W6	34.925	155	57		26.0	21	24	2	4	
10102060	1 1/2 W6	38.100	165	60		30.0	23	26	2	4	
10508050	1 5/8 W5	41.275	170	60		32.0	26	30	2	4	



**T401 JIS Gun Nose Taps - Metric Coarse 日標先端公制粗牙系列**

產品編號(code)	公制牙 (M)		外型尺寸							Unit:mm	
T401	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00200400	M2	0.40	42	9.5	15	3.0	2.5	5	2	3	
00220450	M2.2	0.45	42	9.5	15	3.0	2.5	5	2	3	
00230400	M2.3	0.40	42	9.5	15	3.0	2.5	5	2	3	
00250450	M2.5	0.45	44	9.5	16	3.0	2.5	5	2	3	
00260450	M2.6	0.45	44	9.5	16	3.0	2.5	5	2	3	
00300500	M3	0.50	46	11	18	4.0	3.2	6	2	3	
00350600	M3.5	0.60	48	13	20	4.0	3.2	6	2	3	
00400700	M4	0.70	52	13	20	5.0	4.0	7	2	3	
00450750	M4.5	0.75	52	13	21	5.0	4.0	7	2	3	
00500800	M5	0.80	60	16	25	5.5	4.5	7	2	3	
00550900	M5.5	0.90	60	16	25	5.5	4.5	7	2	3	
00601000	M6	1.00	62	19	28	6.0	4.5	7	2	3	
00701000	M7	1.00	65	19	30	6.2	5.0	8	3	3	
00801250	M8	1.25	70	22		6.2	5.0	8	3	3	
00901250	M9	1.25	72	22		7.0	5.5	8	3	3	
01001500	M10	1.50	75	24		7.0	5.5	8	3	3	
01101500	M11	1.50	80	25		8.0	6.0	9	3	3	
01201750	M12	1.75	82	29		8.5	6.5	9	3	3	
01402000	M14	2.00	88	30		10.5	8.0	11	3	3	
01502000	M15	2.00	90	30		10.5	8.0	11	3	3	
01602000	M16	2.00	95	32		12.5	10	13	3	3	
01702000	M17	2.00	95	32		13.0	10	13	3	3	
01802500	M18	2.50	100	37		14.0	11	14	3	3	
02002500	M20	2.50	105	37		15.0	12	15	3	3	
02202500	M22	2.50	115	38		17.0	13	16	3	3	
02403000	M24	3.00	120	45		19.0	15	18	3	3	
02603000	M26	3.00	125	45		20.0	15	18	3	4	
02703000	M27	3.00	130	45		20.0	15	18	3	4	
03003500	M30	3.50	135	48		23.0	17	20	3	4	
03303500	M33	3.50	145	51		25.0	19	22	3	4	
03604000	M36	4.00	155	57		28.0	21	24	3	4	
03904000	M39	4.00	165	60		30.0	23	26	3	4	
04204500	M42	4.50	175	60		32.0	26	30	3	4	
04504500	M45	4.50	180	67		35.0	26	30	3	4	
04805000	M48	5.00	185	67		38.0	29	32	3	4	



### T403 JIS Gun Nose Taps - UNC 日標美制粗牙先端系列

產品編號 (code)	美制牙 (UNC)		外型尺寸							Unit:mm	
T403	Size	Nominal Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00002560	No.2-56UNC	2.184	42	9.5	15	3.0	2.5	5	1	2	
00003480	No.3-48UNC	2.515	44	9.5	16	3.0	2.5	5	1	2	
00004400	No.4-40UNC	2.845	44	9.5	16	3.0	2.5	5	1	2	
00005400	No.5-40UNC	3.175	46	11	18	4.0	3.2	6	1	3	
00006320	No.6-32UNC	3.505	48	13	20	4.0	3.2	6	1	3	
00008320	No.8-32UNC	4.166	52	13	21	5.0	4.0	7	1	3	
00010240	No.10-24UNC	4.826	60	16	25	5.5	4.5	7	1	3	
00012240	No.12-24UNC	5.486	60	16	25	5.5	4.5	7	1	3	
00104200	1/4-20UNC	6.350	62	19	30	6.0	4.5	7	1	3	
00516180	5/16-18UNC	7.938	70	22		6.1	5.0	8	2	3	
00308160	3/8-16UNC	9.525	75	24		7.0	5.5	8	2	3	
00716140	7/16-14UNC	11.112	80	25		8.0	6.0	9	2	3	
00102130	1/2-13UNC	12.700	85	29		9.0	7.0	10	2	3	
00916120	9/16-12UNC	14.288	90	30		10.5	8.0	11	2	3	
00508110	5/8-11UNC	15.875	95	32		12.0	9.0	12	2	3	
00304100	3/4-10UNC	19.050	105	37		14.0	11	14	2	3	
00708090	7/8-9UNC	22.225	115	38		17.0	13	16	2	3	
10000080	1-8UNC	25.400	125	45		20.0	15	18	2	3	



### T405 JIS Gun Nose Taps - BSW 日標惠氏螺紋先端系列

產品編號 (code)	英制牙 (BSW)		外型尺寸							Unit:mm	
T405	Size	Basic Major Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00108400	1/8 W40	3.175	46	11	18	4.0	3.2	6	1	3	
00532320	5/32 W32	3.969	52	13	21	5.0	4.0	7	1	3	
00316240	3/16 W24	4.762	60	16	25	5.5	4.5	7	1	3	
00732240	7/32 W24	5.556	60	16	25	5.5	4.5	7	1	3	
00104200	1/4 W20	6.350	62	19	30	6.0	4.5	7	1	3	
00516180	5/16 W18	7.938	70	22		6.1	5.0	8	2	3	
00308160	3/8 W16	9.525	75	24		7.0	5.5	8	2	3	
00716140	7/16 W14	11.112	80	25		8.0	6.0	9	2	3	
00102120	1/2 W12	12.700	85	29		9.0	7.0	10	2	3	
00916120	9/16 W12	14.288	90	30		10.5	8.0	11	2	3	
00508110	5/8 W11	15.875	95	32		12.0	9.0	12	2	3	
00304100	3/4 W10	19.050	105	37		14.0	11	14	2	3	
00708090	7/8 W9	22.225	115	38		17.0	13	16	2	3	
10000080	1 W8	25.400	125	45		20.0	15	18	2	3	



### T502 JIS Spiral Flute Taps - Meatic Coarse (For Tapping Stainless Steel) 日標不銹鋼專用螺旋系列

產品編號 (code)	公制牙 (M)		外型尺寸							Unit:mm	
T502	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00200400	M2	0.40	42	4.0	15	3.0	2.5	5	1	2	
00250450	M2.5	0.45	44	4.5	16	3.0	2.5	5	1	2	
00260450	M2.6	0.45	44	4.5	16	3.0	2.5	5	1	2	
00300500	M3	0.50	46	5.0	18	4.0	3.2	6	1	3	
00400700	M4	0.70	52	7.0	20	5.0	4.0	7	1	3	
00500800	M5	0.80	60	8.0	25	5.5	4.5	7	1	3	
00601000	M6	1.00	62	11	28	6.0	4.5	7	1	3	
00801250	M8	1.25	70	12		6.2	5.0	8	2	3	
01001500	M10	1.50	75	13		7.0	5.5	8	2	3	
01201750	M12	1.75	82	15		8.5	6.5	9	2	3	
01402000	M14	2.00	88	18		10.5	8.0	11	2	3	
01602000	M16	2.00	95	18		12.5	10	13	2	3	
01802500	M18	2.50	100	20		14.0	11	14	2	4	
02002500	M20	2.50	105	20		15.0	12	15	2	4	
02202500	M22	2.50	115	20		17.0	13	16	2	4	
02403000	M24	3.00	120	25		19.0	15	18	2	4	




**T501 JIS Spiral Flute Taps - Metric Coarse (For Tapping Cast Iron) 日標鑄鐵專用螺旋系列**

產品編號 (code)	公制牙 (M)		外型尺寸							Unit:mm	
	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00200400	M2	0.40	42	9.5	15	3.0	2.5	5	1	2	
00220450	M2.2	0.45	42	9.5	15	3.0	2.5	5	1	2	
00230400	M2.3	0.40	42	9.5	15	3.0	2.5	5	1	2	
00250450	M2.5	0.45	44	9.5	16	3.0	2.5	5	1	2	
00260450	M2.6	0.45	44	9.5	16	3.0	2.5	5	1	2	
00300500	M3	0.50	46	11	18	4.0	3.2	6	1	3	
00350600	M3.5	0.60	48	13	20	4.0	3.2	6	1	3	
00400700	M4	0.70	52	13	20	5.0	4.0	7	1	3	
00450750	M4.5	0.75	55	13	21	5.0	4.0	7	1	3	
00500800	M5	0.80	60	16	25	5.5	4.5	7	1	3	
00550900	M5.5	0.90	60	16	25	5.5	4.5	7	1	3	
00601000	M6	1.00	62	19	28	6.0	4.5	7	1	3	
00701000	M7	1.00	65	19	30	6.2	5.0	8	2	3	
00801250	M8	1.25	70	22		6.2	5.0	8	2	3	
00901250	M9	1.25	72	22		7.0	5.5	8	2	3	
01001500	M10	1.50	75	24		7.0	5.5	8	2	3	
01101500	M11	1.50	80	25		8.0	6.0	9	2	3	
01201750	M12	1.75	82	29		8.5	6.5	9	2	3	
01402000	M14	2.00	88	30		10.5	8.0	11	2	3	
01502000	M15	2.00	90	30		10.5	8.0	11	2	3	
01602000	M16	2.00	95	32		12.5	10	13	2	3	
01802500	M18	2.50	100	37		14.0	11	14	2	4	
02002500	M20	2.50	105	37		15	12	15	2	4	
02202500	M22	2.50	115	38		17	13	16	2	4	
02403000	M24	3.00	120	45		19	15	18	2	4	
02603000	M26	3.0	125	45		20	15	18	2	4	
02703000	M27	3.0	130	45		20	15	18	2	4	
03003500	M30	3.5	135	48		23	17	20	2	4	
03303500	M33	3.5	145	51		25	19	22	2	4	



**T503 JIS Spiral Flute Taps - Metric Coarse (For Tapping Copper-Aluminium Alloy) 日標銅鋁合金專用螺旋系列**

產品編號 (code)	公制牙 (M)		外型尺寸							Unit:mm	
	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00200400	M2	0.40	42	4.0	15	3.0	2.5	5	1	2	
00250450	M2.5	0.45	44	4.5	16	3.0	2.5	5	1	2	
00260450	M2.6	0.45	44	4.5	16	3.0	2.5	5	1	2	
00300500	M3	0.50	46	5.0	18	4.0	3.2	6	1	3	
00400700	M4	0.70	52	7.0	20	5.0	4	7	1	3	
00500800	M5	0.80	60	8.0	25	5.5	4.5	7	1	3	
00601000	M6	1.00	62	11	28	6.0	4.5	7	1	3	
00801250	M8	1.25	70	12		6.2	5	8	2	3	
01001500	M10	1.50	75	13		7.0	5.5	8	2	3	
01201750	M12	1.75	82	15		8.5	6.5	9	2	3	
01402000	M14	2.00	88	18		10.5	8	11	2	3	
01602000	M16	2.00	95	18		12.5	10	13	2	3	
01802500	M18	2.50	100	20		14.0	11	14	2	4	
02002500	M20	2.50	105	20		15.0	12	15	2	4	
02202500	M22	2.50	115	20		17.0	13	16	2	4	
02403000	M24	3.00	120	25		19.0	15	18	2	4	





T701 ISO2284 Parallel Pipe Taps - BSPG 英制直管螺紋直槽系列											
產品編號 (code)	英制平行管牙 (BSPG)		外型尺寸							Unit:mm	
T701	Size	Basic Major Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00116280	1/16-28	7.723	52	14		5.6	4.5	7	1	4	
00108280	1/8-28	9.728	59	15		8.0	6.3	9	1	4	
00104190	1/4-19	13.157	67	19		10.0	8.0	11	1	4	
00308190	3/8-19	16.662	75	21		12.5	10.0	13	1	4	
00102140	1/2-14	20.955	87	26		16.0	12.5	16	1	4	
00304140	3/4-14	26.441	96	28		20.0	16.0	20	1	4	
00508140	5/8-14	22.911	91	26		18.0	14.0	18	1	4	
00708140	7/8-14	30.201	102	29		22.4	18.0	22	1	4	
10000110	1-11	33.249	109	33		25.0	20.0	24	1	4	



T702 ISO2284 Taper Pipe Hand Taps - BSPT 英制錐管螺紋直槽系列											
產品編號 (code)	英制斜度管牙 (BSPT)		外型尺寸							Unit:mm	
T702	Size	Basic Major Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00116280	1/16-28	7.723	52	14	10.1	5.6	4.5	7	1	4	
00108280	1/8-28	9.728	59	15	10.1	8.0	6.3	9	1	4	
00104190	1/4-19	13.157	67	19	15.0	10.0	8.0	11	1	4	
00308190	3/8-19	16.662	75	21	15.4	12.5	10.0	13	1	4	
00102140	1/2-14	20.955	87	26	20.5	16.0	12.5	16	1	4	
00304140	3/4-14	26.441	96	28	21.8	20.0	16.0	20	1	4	
10000110	1-11	33.249	109	33	26.0	25.0	20.0	24	1	6	



T704 ISO2284 Taper Pipe Hand Taps - NPT 美制錐管螺紋直槽系列											
產品編號 (code)	美制斜度管牙 (NPT)		外型尺寸							Unit:mm	
T704	Size	Nominal Dia.	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00108270	1/8-27	10.272	59	15	7.9	8.0	6.3	9	1	4	
00104180	1/4-18	13.571	67	19	11.9	10.0	8.0	11	1	4	
00308180	3/8-18	17.054	75	21	11.5	12.5	10.0	13	1	4	
00102140	1/2-14	21.224	87	26	14.7	16.0	12.5	16	1	4	
00304140	3/4-14	26.568	96	28	14.4	20.0	16.0	20	1	4	
10000115	1-11/2	33.228	109	33	17.2	25.0	20.0	24	1	4	



T901 ISO529 Hand Taps - Metric Coarse 公制粗牙手用絲攻系列											
產品編號 (code)	公制牙 (M)		外型尺寸							Unit:mm	
T901	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>k</sub>	Type	Flutes	
00300500	M3	0.50	48	11	18	3.15	2.50	5	1	3	
00350600	M3.5	0.60	50	13	20	3.55	2.80	5	1	3	
00400700	M4	0.70	53	13	21	4.00	3.15	6	1	3	
00450750	M4.5	0.75	53	13	21	4.50	3.55	6	1	3	
00500800	M5	0.80	58	16	25	5.00	4.00	6	1	3	
00601000	M6	1.00	66	19	30	6.30	5.00	8	1	3	
00701000	M7	1.00	66	19	30	7.10	5.60	7	1	4	
00801250	M8	1.25	72	22		8.00	6.30	8	2	4	
00901250	M9	1.25	72	22		9.00	7.10	8	2	4	
01001500	M10	1.50	80	24		10.0	8.00	9	2	4	
01101500	M11	1.50	85	25		8.00	6.30	9	3	4	
01201750	M12	1.75	89	29		9.00	7.10	10	3	4	
01402000	M14	2.00	95	30		11.2	9.00	12	3	4	
01602000	M16	2.00	102	32		12.5	10.0	13	3	4	
01802500	M18	2.50	112	37		14.0	11.2	14	3	4	
02002500	M20	2.50	112	37		14.0	11.2	14	3	4	
02202500	M22	2.50	118	38		16.0	12.5	16	3	4	
02403000	M24	3.00	130	45		18.0	14.0	18	3	4	



### T1001 ISO529 Spiral Flute Taps - Metric Coarse 公制粗牙螺旋槽系列

產品編號(code)	公制牙 (M)		外型尺寸							Unit:mm	
	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>2</sub>	Type	Flutes	
00300500	M3	0.50	48	11	18	3.15	2.50	5	1	3	
00350600	M3.5	0.60	50	13	20	3.55	2.80	5	1	3	
00400700	M4	0.70	53	13	21	4.00	3.15	6	1	3	
00450750	M4.5	0.75	53	13	21	4.50	3.55	6	1	3	
00500800	M5	0.80	58	16	25	5.00	4.00	6	1	3	
00601000	M6	1.00	66	19	30	6.30	5.00	8	1	3	
00701000	M7	1.00	66	19	30	7.10	5.60	7	1	3	
00801250	M8	1.25	72	22		8.00	6.30	8	2	3	
00901250	M9	1.25	72	22		9.00	7.10	8	2	3	
01001500	M10	1.50	80	24		10.0	8.00	9	2	3	
01101500	M11	1.50	85	25		8.00	6.30	9	3	3	
01201750	M12	1.75	89	29		9.00	7.10	10	3	3	
01402000	M14	2.00	95	30		11.2	9.00	12	3	3	
01602000	M16	2.00	102	32		12.5	10.0	13	3	3	
01802500	M18	2.50	112	37		14.0	11.2	14	3	3	
02002500	M20	2.50	112	37		14.0	11.2	14	3	3	
02202500	M22	2.50	118	38		16.0	12.5	16	3	3	
02403000	M24	3.00	130	45		18.0	14.0	18	3	4	
02703000	M27	3.00	135	45		20.0	16.0	20	3	4	
03003500	M30	3.50	138	48		20.0	16.0	20	3	4	
03303500	M33	3.50	151	51		22.4	18.0	22	3	4	
03604000	M36	4.00	162	57		25.0	20.0	24	3	4	



### T1101 ISO529 Gun Nose Taps - Metric Coarse 公制粗牙先端系列

產品編號(code)	公制牙 (M)		外型尺寸							Unit:mm	
	Size	Pitch	L	l	l <sub>1</sub>	d	k	l <sub>2</sub>	Type	Flutes	
00300500	M3	0.50	48	11		3.15	2.50	5	1	3	
00350600	M3.5	0.60	50	13		3.55	2.80	5	1	3	
00400700	M4	0.70	53	13		4.00	3.15	6	1	3	
00450750	M4.5	0.75	53	13		4.50	3.55	6	1	3	
00500800	M5	0.80	58	16		5.00	4.00	6	1	3	
00601000	M6	1.00	66	19		6.30	5.00	8	1	3	
00701000	M7	1.00	66	19		7.10	5.60	7	1	3	
00801250	M8	1.25	72	22		8.00	6.30	8	2	3	
00901250	M9	1.25	72	22		9.00	7.10	8	2	3	
01001500	M10	1.50	80	24		10.0	8.00	9	2	3	
01101500	M11	1.50	85	25		8.00	6.30	9	3	3	
01201750	M12	1.75	89	29		9.00	7.10	10	3	3	
01402000	M14	2.00	95	30		11.2	9.00	12	3	3	
01602000	M16	2.00	102	32		12.5	10.0	13	3	3	
01802500	M18	2.50	112	37		14.0	11.2	14	3	3	
02002500	M20	2.50	112	37		14.0	11.2	14	3	3	
02202500	M22	2.50	118	38		16.0	12.5	16	3	3	
02403000	M24	3.00	130	45		18.0	14.0	18	3	3	
02703000	M27	3.00	135	45		20.0	16.0	20	3	4	
03003500	M30	3.50	138	48		20.0	16.0	20	3	4	
03303500	M33	3.50	151	51		22.4	18.0	22	3	4	
03604000	M36	4.00	162	57		25.0	20.0	24	3	4	





泰 昂 斯  
**Thales**  
**TOOLS**

Taiwan (Asian Exporter)

**TAIS T-P CO., LTD.**

5F-1, No. 540-1, Huacheng Rd., Xinzhung Dist.,  
New Taipei City 242, Taiwan (R.O.C.)

Tel: +886 2 22761213

Fax: +886 2 29940141

E-mail: [taisco@ms54.hinet.net](mailto:taisco@ms54.hinet.net)

<http://www.taisco.com.tw>

Hong Kong (International Exporter)

**New Asia Super Tooling Co., Limited**

Room 22B, 11th Floor, Well Fung Industrial Centre  
58-76 Ta Chuen Ping Street, Kwai Chung, N.T.H.K

Tel: +852 2401 1123

Fax: +852 2487 2729

E-mail: [tommy@newasia-tools.com.hk](mailto:tommy@newasia-tools.com.hk)

<http://www.newasia-tools.com.hk>

China (Manufacturer)

**TAI LI SI Cutting Tools Manufacturing Co., Ltd.**

Upstream Industrial Park, Pengxi, Sichuan, China.

Tel: +86 825 5438688

Fax: +86 825 5428777

E-mail: [zhengguoliu@yeah.net](mailto:zhengguoliu@yeah.net)

<http://www.thales-tools.com>

Agent: