



单针综合送筒式车

SINGLE NEEDLE COMPOUND FEED CYLINDER SEWING MACHINE

WB-341

产品应用

适用于包装、运动用品、玩具、文具等各种物料的缝制。

产品特点

采用三同步综合式送料，缝制厚薄物品均匀美观。

USES

Apply to all kinds of footwear and luggage products sewing.

FEATURES

The upper and lower integrated feeding, can effectively prevent the multi-layer seam sewing process dislocation. Spherical bearing transmission, running light sliding, low noise, small friction, long service life. Safe clutch mechanism to prevent damage to the machine caused by overload. Cylindrical stitch table is more suitable for all types of products' corner and arc.



单针综合送筒式车

SINGLE NEEDLE COMPOUND FEED CYLINDER SEWING MACHINE

WB-8B

产品应用

适用于各种鞋类及箱包制品的缝制。

产品特点

上、下综合送料，可有效防止多层缝料缝制过程中出现的错位。球形轴承传动、运转轻滑、噪音小、磨擦小，使用寿命长。安全离合器装置可防止超负荷引起的机器损伤。筒形缝台更适用于各类制品的圆弧及拐角部位。

USES

Apply to all kinds of footwear and luggage products sewing.

FEATURES

The upper and lower integrated feeding, can effectively prevent the multi-layer seam sewing process dislocation. Spherical bearing transmission, running light sliding, low noise small friction, long service life. Safe clutch mechanism to prevent damage to the machine caused by overload. Cylindrical stitch table is more suitable for all types of products' corner and arc.



型号 MODEL	转速 r.p.m	针号 #	针距 mm	压脚 mm	线长 W	脚踏 L	脚踏 M	脚踏 H	旋梭 图标	重量 GW/NW kg	尺寸 mm
WB-341	2800	DPx17(7#-10#)	5	7-10	370/250		*	*	标准立式旋梭	41/40	640x320x590
WB-8B	2800	DPx17(7#-10#)	5	7-10	370/250		*	*	标准立式旋梭	37/34	660x575x250



综合送料 单针摩卡车 (厚料用)

SINGLE NEEDLE COMPOUND FEED SEWING MACHINE (for thick material)

WB-204

产品应用

适用于制鞋、沙发、集装袋、安全带、皮革、牛仔服、帐篷等粗线厚料制品。

产品特点

同步送料压脚交叉升降机构，保证在额定范围内的任何长度针距下，缝纫滑性，层缝上下不移位，使制品整齐，线迹美观，连杆挑线机构，使主轴转速得以提高。下送料轴采用滑动轴承，降低了噪音，延长了使用寿命。

USES

Suitable for sewing of shoes, sofa, packing bags, safety belt, leather, tents and other thick line or heavy duty products.

FEATURES

Synchronous cloth-giving and pressing-foot going up and down alter namely mechanism to ensure smooth sewing in any stitch and no fold. The sewing neat and the track of the thread is artistic. With a connecting rod, the rotating-speed of the main axle is raised. The bottom cloth-giving axle employing sliding bearing reduces noise and prolongs working life.



单针压脚 上下送筒式厚料车形车

Single-needle Presser Foot Up &down Stitch Machine (for Thick Material)

WB-205

产品特点

- 1、适用于高级皮鞋、沙滩鞋、皮鞋、沙发、箱包等外线装饰缝制。
- 2、拥有大梭芯，可以存更多数量的下线，不用频繁的更换梭芯，提高生产效率。
- 3、拥有上同步送料机构，能缝制更小操作空间的产品。
- 4、零配件轴承采用进口品牌，产品经久耐用，质量稳定。
- 5、通过更换机针的型号，机器可以缝制80#-0#(欧洲编号)的缝线。
- 6、配有电子调速电机，自动停车位置、自动抬压脚装置、使缝制更加的轻松美观。



型号 MODEL	针距 r,mm	针 mm	送料 mm	压脚 mm	重量 kg	电压 V	功率 W	转速 rpm	送料方式	尺寸 mm
WB-204	800	DYx3	10	15	370/250	*	*		标准立式旋梭	
WB-205	900	DYx3	12	12	750/380	*	*		标准立式旋梭	750x525x610



裘皮机

FUR SEWING MACHINE

WB-302
WB-402

产品应用

适用于运动鞋，鞋面，鞋底工作，手套，中厚毛皮，潜水衣，婴儿鞋。

产品特点

自动润滑系统，使本机寿命加长、维修简单，且没有渗油的烦恼。手臂高，操作空间大，使用方便高效率的单针单线环缝，线迹美观一致。

USES

Suitable for sports shoes, uppers, soles work, gloves, thick fur, diving suits, baby shoes.

FEATURES

Automatic lubrication system, prolong service life, easy maintain. No oil seepage, with high arm and large operation space, operate convenient. High efficiency single needle and single wire circular seam, make the line stitch is beautiful and consistent.



自动加油拉邦机

HIGH CAPACITY SRTING LASTING HEAVY DUTY SEWING MACHINE

WB-600

产品应用

适用于极厚动物皮革缝合，大型运动鞋拉缝，大型加洲式中底缝合，前轮较小。

产品特点

本机采用自动加油装置，使本机寿命加长，没有渗油的烦恼。本机采用手压式区分针距，手臂高，有较多的操作空间，方便操作者操作机器。

USES

Suitable for stitching very thick animal leather, la seam of large sports shoes, and stitching of large California midsole. With small front wheels.

FEATURES

Adopts automatic refueling device to prolong the service life. Without oil seepage trouble. High arm, more operation space, easy to use. Adopts hand pressure to distinguish needle distance, convenient to operate the machine.

型号 MODEL	rpm	针 mm	针 mm	针 mm	针 mm	L	M	H	针距 mm	GW/NW kg	mm
WB-302	2800	DPx5	8		370/250		*	*	标准立式旋梭		
WB-402	2800	DPx5	8		370/250		*	*	标准立式旋梭	21/18	430x310x360
WB-450	2800	DPx5	8		370/250		*	*	标准立式旋梭	26/24	430x425x375
WB-600	2800	DPx5	8		370/250		*	*	标准立式旋梭	28/26	440x440x380



圆刀削皮机

Round Knife Leather Skiving Machine

WB-801

产品应用

适用于各种皮革及橡胶类所制成的鞋、皮鞋、手袋、手套等边缘及表面削薄。

产品特点

磨刀器可以保证刀口始终锋利无比，附自动除屑装置，球形轴承传动使机器运转轻滑、噪音低、经久耐用。

USES

Apply to a variety of leather and rubber made of shoes, leather shoes, handbags, gloves and other edge and surface thinning.

FEATURES

Sharpener can always ensure sharp knife-edge incomparable .With automatic de-chip device. Spherical bearing drive to run the machine light sliding, low noise, durable.



全封闭削皮机

Fully Enclosed Leather Skiving Machine

WB-801

产品应用

适用于皮包、皮带、皮手套、皮鞋、潜水衣、中底板及各种皮革制品表面之削薄。

产品特点

设计精巧，结构紧凑，调节灵活，使用方便，性能优良。采用低噪音精密轴承，机件制作精良，整机噪音低。磨刀由离合器控制，节省能耗。设有皮带自动张紧装置，转动可靠。设有自动去除发屑装置。易损零配件更换简便。

USES

Purses, belts, leather gloves, shoes, diving suits the bottom plate and a variety of leather products' surface skiving.

FEATURES

Exquisite design, compact structure, flexible adjustment, easy to use, excellent performance. Low noise precision bearing, well-made parts, led the machine noise lower. The sharpener is controlled by clutch, save energy consumption. The belt equip with automatic tensioning device, ensure rotation reliable .Equip automatic descaling device, easy to replace the spare parts.

型号 MODEL	转速 r.p.m	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm	刀片 mm
WB-801	1200										
WB-801	1200										



内里修边机

Inner Trimming Machine

WB-202Z

产品应用

适用于鞋类、包装、文具、皮革制品等各种车缝。

产品特点

采用高精密度的零部件，确保长时间运转的稳定性。采用日制的齿轮和轴承，确保长时间使用不会出现零件磨损。

USES

Applicable to footwear, packaging, stationery, leather products, and other sewing.

FEATURES

Adopt High precision parts, ensure long time operation stability. Adopt Japanese gear and bearings, ensure parts won't worn after a long time.

最高缝速 -HIGHEST SEWING SPEED: 1200 针

底座高度 -THE BASE HEIGHT: 3.2MM

电机功率 -MOTOR POWER: 370W/250W

外箱包装 -CARTON PACKAGING: 555x265x480mm

毛 / 净重 -G.W/N: 24/22kg



内里修边机

Inner Trimming Machine

WB-903

产品应用

适用于鞋类、包装、文具、皮革制品等各种车缝。

产品特点

采用高精密度的零部件，确保长时间运转的稳定性。采用日制的齿轮和轴承，确保长时间使用不会出现零件磨损。

USES

Applicable to footwear, packaging, stationery, leather products, and other sewing.

FEATURES

Adopt High precision parts, ensure long time operation stability. Adopt Japanese gear and bearings, ensure parts won't worn after a long time.





后跟压条机

HEEL PRESSING MACHINE

WB-25

产品应用

适用于各类鞋后跟缝制的粘合整形。

产品特点

使用方便、操作简单、整形效果好。上、下叠压送料、有效增加皮革与布料间的粘性，基座高、适应范围广。

USES

Suitable for all kinds of shoes heel sewing adhesive shaping .

FEATURES

Easy to learn and operate. Shaping effect good. Upper and lower pressure feeding, effectively increase the adhesion between leather and cloth. High base, adapt to a wide range use.



电机功率 /MOTOR POWER: 0.25kW
电源 /WORKING VOLTAGE: 220V
毛净重 /G.WnW: 24/20kg
外形尺寸 /EXTERIOR SIZE: 45X24X46cm



缝补机

SHOE PATCHING MACHINE

WB-2971

产品特点

押脚方向可360度旋转，能适应各种物料车缝(中厚料)筒径细小，最宽不超过28mm特殊小角度，细长的物料均可车缝。适用于鞋类、玩具、手机套、皮具等各种物料。

FEATURES

Presser foot direction can rotate 360 degrees, adapt to all kinds of material sewing (medium and thick material). Small tube diameter, maximum width not exceed 28mm. Special small angle, long and thin materials can be sewn.Suitable for shoes, toys, mobile phone cases, leather goods and other materials.



电机功率 /MOTOR POWER: 0.25kW
电源 /WORKING VOLTAGE: 220V
毛净重 /g.Wn.W: 23/21kg
外形尺寸 /EXTERIOR SIZE: 47X24X47cm

双线内线机

DOUBLE STITCH INNER LINE MACHINE

WB-168

产品特点

轻巧的摇壁结构设计使操作者不易疲劳；浸油式的润滑系统，在正常使用下永远不必换牛角。分离式的传动结构，当车缝卡线时，会自动切断电源，停止运转，保护机器不受损。电脑定位马达能自动定位及提升压脚，动转速度可依操作者需要任意调整，最高速度可达1分钟1000转。适用于运动鞋，休闲鞋及各种特殊车缝。

FEATURES

Light rocker, easy to operate, oiled system, protecting the oxford, divided rotating structure. Power turn-off automatically and stop when trouble stitched for protecting the machine. Fixing automatically presser is controlled by computer, the rotational speed can be select according to the operator, the max speed can be 1000 circle / minute. Suitable for sneakers casual shoes and other special materials.



电动机: Motor 550w/380V 三相 Three -phase
线迹长度: Stitch length 3-13mm
缝制厚度: Sewing thickness 1.5-6mm
机 针: Sewing needle cp x5
重 量: Weight 150kg

外型尺寸: Overall size 107x56x125cm(LxWxH)
梭心直径 / 厚度: 26/11mm
外箱包装: Carton packaging :650x1120x1350mm
毛 净 重: g.w/n.W141/124kg





全自动上胶折边机

AUTOMATIC GLUING FOLDING MACHINE

WB-292

产品应用

该机适用于鞋类、皮包、钱包、手机套等皮制品的PVC、PU、天然皮、人造皮、布料等材质，使用热熔胶折边作业。

产品特点

该机采用电脑芯片控制自动上胶折边电路系统，使整个作业过程实现智能控制化。

- 1.采用电脑芯片处理电路系统，步进电机控制内弯、直线、外弯变距功能；
- 2.外弯、直线、内弯折边拉动行程分别可调1-8mm范围；
- 3.触摸式数字显示控制面板，溶胶温度、出胶流量、出胶温度无级调节；
- 4.内弯自动切齿功能，出胶系统双重保护；
- 5.先进的翻折机构，调节方便，折边细致平整、宽度均匀、圆滑漂亮；
- 6.折边宽度可调整3mm-6.5mm，可将补强带一并折入；
- 7.工作效率为手工操作5-10倍。

电源/WORKING VOLTAGE: 220V/50Hz

电机功率/MOTOR POWER: 0.25kW

外形尺寸/OVERALL SIZE: 1200x550x1160mm

重量/WEIGHT: 135kg



热熔过胶机

HOT MELT GLUING MACHINE

WB-300A

产品应用

过胶机主要应用在：鞋业、纸品、印刷、箱包手袋、家具、泡棉包装材料、无纺布复合等行业。

产品特点

- 1、gw-300A 桌式过胶机是专门为小面积平面材料上胶设计，根据产品的需求和材质的不同上胶，胶量的厚薄均可调整。
- 2、上胶的宽度可根据产品的宽度订制，我们生产的常用规格可分为200mm、300mm、400mm、600mm4种标准机型。
- 3、主转动系统采用无段位调速、滚轮、胶槽独立温控、双重温度保护胶桶采用铁氟龙涂层，大大降低胶的氧化对产品质量有可靠的保证。
- 4、上胶滚轮可根据用户的需求可订制、平面、网纹、点状、凹槽等形状。

电机功率: 90W

操作温度: ≤250℃

电热功率: 2500W

胶桶容量: 5kg

熔胶速率: 5kg/h

重量: 60kg

使用粘度: 1000-20000CPS

外形尺寸: 500mmx360mmx470mm



双同步厚料平缝机

DUAL SYNCHRONOUS HEAVY DUTY LOCKSTITCH SEWING MACHINE

WB-0302

产品应用

适用于皮革、人造革、沙发、箱包加工。

产品特点

上、下综合送料机构，可有效防止潜移，使上、下层达到一致。爬坡性能好、尤其是多层缝料缝制时亦可达到一致。连杆式送料机构，可有效防止倒顺针距误差，使线迹更加美观一致。

USES

Suitable for leather, artificial leather, sofa, luggage processing.

FEATURES

The upper and lower integrated feeding mechanism, can effectively prevent the potential deviation, so that the upper and lower to reach the same. Climbing performance is good, especially when sewing multi-layer sewing can also be consistent. Rod-feeding mechanism, which can effectively prevent the error down the needle down, so that more beautiful lines consistent.



高速平缝机系列

HIGH-SPEED LOCKSTITCH SEWING MACHINE SERIES

WB-8700

产品特点

高速平缝机造型大方，线条流畅，结构成熟，性能可靠，高速高效，操作空间大，能缝制薄、中厚和厚的缝制材料，线迹整齐，美观。合理的机构确保缝薄时不起皱，缝厚时不断线，强注式润滑系统使该机在高速运转时缝制性能稳定，噪声低。

FEATURES

High speed flat bed sewing machine: generous shape, smooth lines, mature structure, reliable performance, high speed and high efficiency, large operation space, can sew thin, medium thickness and thick materials. Neat line marks, beautiful and reasonable mechanism. Ensure no wrinkle when sewing thin material, and no break line when sewing thick material. Strong injection lubrication system makes sewing performance stable at high speed and low noise.



型号 MODEL	r.p.m	针 mm	针距 mm	针板 mm	针线 W	L	M	H	旋梭	GW/NW kg	尺寸 mm
WB-0302	2200	DPx17	8	6	370/250	*	*		标准立式旋梭		
WB-0303	2500	DPx17	8	7-13	370/250	*	*		标准立式旋梭	29/27	670x270x490
WB-5550	5500	DPx1	5	5.5-13	370/250	*	*		自动供油 全回转旋梭	33.5/30.5	590x235x550
WB-8700	5500	DPx1	5	5.5-13	370/250	*	*		标准立式旋梭	33.5/30.5	590x235x550



一体式剪线 上下复合送料平缝车

Direct Drive Integrated Computerized Heavy Duty Top And Bottom Feed

WB-0303D

产品特点

本机采用内置式小型大功率伺服电机直接驱动、噪音低、扭矩大。配置的伺服控制系统，精密可靠，性能稳定，功能多样，操作简单。
连杆式送料机构，倒顺缝误差小；自动润滑系统保证机器运转轻滑，经久耐用，后盖板全封闭，可有效防止漏油。为适应厚料缝纫时所需要的大针距，本机在设计中也做了特别的改进，秉承了原机型缝厚能力强、层缝性能好、线迹平整的特点。可另增加自动抬压脚系统。



FEATURES

This model is designed with powerful built-in mini servo motor for direct drive, featuring low noise and large torque. It is equipped with precise servo control system with characteristics of stable performance, multiple function and easy operation. The link feeding mechanism eliminates the stitch difference between forward and backward sewing, The automatic lubrication system guarantees smooth running and durable service, The fully enclosed back cover effectively prevents the machine from oil leakage, It maintains the outstanding capabilities of heavy duty stitching, multi-layer stitching and clean stitching. The machine can install the mechanism of auto presser foot lift.

型号 MODEL	r.p.m	DP	针距 mm	层数 mm	针号 W	针板 L	针板 M	针板 H	旋梭	GW/NW kg	尺寸 mm
WB-0303D	2200	DPx17	8	6-13	370/250		*	*	标准立式旋梭	39/35	750x260x490



超高速直驱包缝机

Super High-Speed Overlock Sewing Machine Series

WB-737
WB-747
WB-757

产品特点

本系列机型适用于各种薄料、中厚料、织物的包边或包缝作业。由于采用自动润滑装置运转，畅顺自如。缝纫张力低，在高速时也能缝出稳定漂亮的线迹。

FEATURES

Suit to overlock or hemming for all kinds of thin material, medium thick material, fabric. Use automatic lubrication device operation, sewing smooth and free. Low sewing tension, can sew a stable and beautiful line at high speed.



单针厚料缝纫机

Single Needle Flat Bed Sewing Machine For Thick Material

WB-6-9

产品应用

适用于皮件、皮革、箱包、沙发等厚料加工。

产品特点

全自动润滑系统、噪音低、震动小、运转平稳、寿命长、维修方便。双倍线量、减少了换梭，提高了生产效率。低张力缝纫机构，线迹均匀美观。

USES

Suitable for leather, artificial leather, luggage, sofa and other thick material processing.

FEATURES

Automatic lubrication system, low noise vibration, smooth operation, long life, easy maintenance. Double the amount of lines reducing the shuttle, improve production efficiency. Low-tension sewing mechanism stitch uniform and beautiful.



型号 MODEL	转速 r.p.m	针距 mm	针板 mm	针号 mm	线号 W	电压 V	功率 W	重量 kg	尺寸 mm
WB-737	6500	DPx5		5.5	370/250		*	*	标准立式旋梭 31.5/28.5 470x330x480
WB-6-9	2500	DPx5	8	6.5	370/250		*	*	标准立式旋梭 35/25 575x255x530



曲折人字缝纫机

Zigzag Sewing Machine

WB-20U43

产品特点

可在薄、中、厚料上做直缝、曲缝、绣花、拼缝、套结缝、包边缝、拉链缝、包梗缝、花纹等。针位可左、右、中调节,能形成绚丽多彩的装饰图案。内藏式绕线器,反向送料机构。

FEATURES

The machine is suitable to sew straight seaming zigzag, embroidery, abutted, bar tacking, over-edges seam, zipper inserting seam, wrapped around seaming on thin. Middle and thick fabric the needle position can be adjusted to left, right and middle. Can sew beautiful decorative designs have inside winder components and backward feeding mechanism.



自动加油曲折缝系列

Auto Oil Zigzag Sewing Machine Series

WB-20U93

产品特点

具有自动运油方式,专利产品。适用于服装、鞋帽、皮革箱包等行业的薄、中厚曲折缝、拼缝、装饰缝。线迹美观,操作灵活。

FEATURES

The machine is with automatic lubrication system. it's suitable for zigzag, Embroidery abused on thin, middle, thick fabrics like garments, shoes, caps, leather articles, bag etc. the sewing line nice and easy to be operated.



型号 MODEL	转速 r.p.m	针号 #	针距 mm	压脚 mm	线长 W	L	M	H	旋梭	重量 GW/NW kg	尺寸 mm
WB-20U43	1800	DPx5	5	6-10	370/250		*	*	标准立式旋梭	25/23	550x250x360
WB-20U93	2000	DPx5	5	6-10	370/250		*	*	标准立式旋梭	25/23	550x260x510



直驱双电机自编花曲折缝

Computer Pattern Zigzag Sewing Machine

WB-20U73

产品特点

本机适用于服装, 内衣, 家纺, 鞋帽, 皮革等加工, 拼缝, 装饰缝。

- 1、有轴类机械传动, 送布控制使用新型材料, 自动倒缝, 提高机械传动精度和耐用性。
- 2、大旋梭勾线, 确保厚料用线, 缩短底线换线周期, 自动倒缝, 显示当前花样效果, 性能稳定, 操作方便。

FEATURES

This applies for abutted seam and decorative seam of clothes, underwear, home textiles footwear and leather processing.

1. Ashaft mechanical drive. use new materials for the feed control mechanism. Automatic reverse stitching. improving the mechanical transmission accuracy and durability.
2. Large rotating hook, to ensure the thread use of thick material, Shorten the cycle of the bottom thread, automatic reverse stitching system. With showing the sewing design Stable performance, easy operation.



厚料曲折缝

Zigzag For Thick Material

WB-1530

产品特点

适用于胸罩、内衣裤、手套、服装、鞋帽、皮件、箱包行业的薄、中厚料装饰缝纫。线迹美观大方, 是各行业重要的花色机种。倒顺针机构、运转平稳、操作方便。

FEATURES

Suitable for sewing thin and medium thick materials in bra, underwear, gloves, clothing, shoes and hats, leather goods, cases and bags. Can make beautiful and high-quality stitches and is an important product in relative industry. Adopts forward and backward feeding mechanism sewing needle mechanism, smooth operation, easy to operate.

型号 MODEL	转速 r.p.m	针 DP	针距 mm	压脚 mm	线长 W	脚踏 L	脚踏 M	脚踏 H	旋梭 标准立式旋梭	重量 GW/NW kg	尺寸 mm
WB-20U73	1800	DPx5	5	6-10	370/250	*	*	*	标准立式旋梭	25/23	550x250x360
WB-1530	3000	DPx5	4	6	370/250	*	*	*	标准立式旋梭	25/23	550x250x360



高速直驱钉扣机

High-Speed Button Attaching Machine

WB-373

产品特点

全新的打结方式，和原有的打结方式相比较，大大减少了脱扣的现象。该机主要用于二孔或是四孔的平纽扣缝钉，若加附具，也可缝钉带柄及其他纽扣，适用于轻薄、中厚面料的钉扣。

FEATURES

Compared with old type, this totally new tying way, greatly reduce the tripping phenomenon. This machine is usually used 2 hole or 4 hole flat buttons. If equip with other device, it can be used for other type buttons, suitable for thin & middle and heavy duty materials button attaching.



直驱高速平头锁眼机

Direct Drive High Speed Straight Button Holing Sewing Machine

WB-781

产品特点

本机采用直驱马达装置，具有自动抬压脚功能，薄料，中厚料均宜；适用于各种针织、棉纺、化纤等织物的纽扣缝锁。可缝制平线迹与三角线迹，线迹牢固美观；缝速高，纽孔长度、宽度及针数可调；设有自动润滑系统及自动剪线装置。

FEATURES

Adopted with direct-drive servomotor, the machine has automatic presser-foot lifting function. This machine to universal buttonholing on all light to medium-heavy knitting materials, cotton fabrics and man-made fiber, able to sew flat stitch and triangle stitch with beautiful and solid seam. It is with high sewing speed, and its buttonholing size and stitch number are adjustable as well as buttonholing positioning can be easily adjusted. It adopts automatic lubrication system and automatic thread trimming mechanism. This further enhances ease of operation.

型号 MODEL	r.p.m	针号 mm	针距 mm	针宽 mm	针长 mm	针数 W	针距 L M H	针型	GW/NW kg	尺寸 mm
WB-373	1300	14-16#TQx1	9-27	2.5-6.5	14				29/27	505x330x415
WB-781	3600	DPx5	4		12	370/250	* *	标准立式旋梭	69/58	745x340x930



WB-90-2



WB-170



WB-320-1



WB-300



WB-90-2



WB-170
微电脑切带机



WB-519
鞋底修边机



WB-LZ-1
大型皮革切条机



WB-101
白胶上胶机



WB-400-1
强力上胶机



WB-240
强力上胶机



WB-320-1
热熔胶机



浙江威力士机械有限公司 ZHEJIANG WEILISHI MACHINE CO.,LTD

Address: NO.18#, Huaqiang Road, Huzhen Town, Jinyun County,
Zhejiang Province, China
地址: 浙江省缙云县壶山镇华强路 18 号
Telephone/ 电话: 内贸 0578-3265000 外贸 +86-578-3265005
Fax/ 传真: 0578-3265001
E-Mail: admin@weilishisaw.com

经销商 DEALER



↑扫一扫
立即关注我们



↑扫一扫
查看手机站

www.weilishisaw.com